

# GRAU

## Flying

Flying ist die schwebende Lichtscheibe mit maximaler Flexibilität. Mit 5000 Lumen Leuchtkraft und gleichmäßiger Lichtverteilung nach oben und unten, erhellt die moderne Pendelleuchte Räume effektiv und lichtstark.

Flying eignet sich perfekt für Esstische, Besprechungsräume oder als skulpturales Deckenelement. Das ultraflache Lichtpanel und die Höhenverstellung bieten optimale Anpassungsmöglichkeiten. Verändere die Lichtfarbe und Helligkeit per GRAU App.

Flying bietet eine Reihe von cleveren Funktionen:

- Ultra Slim Light Panel
- Indirektes Raumlicht
- GRAU App
- Höhenverstellung
- Color Tune

Designed und gefertigt am GRAU Campus in Deutschland.

---

## Farben

| Farben       | Artikelnummer |
|--------------|---------------|
| ● Black      | XS33-1        |
| ● Sand White | XS33-5        |
| ● Rose       | XS33-3        |
| ● White      | XS33-0        |

---

## Dimensionen



## Body

|                              |                    |
|------------------------------|--------------------|
| Pendellänge                  | 0,35–1,65m         |
| Maße Verpackung (L x B x H)  | 60cm x 64cm x 13cm |
| Material                     | Aluminium          |
| Oberfläche                   | Pulverbeschichtet  |
| Gewicht                      | 7kg                |
| Gewicht inkl. Verpackung     | 9kg                |
| Höhenverstellbar             | Ja                 |
| Montageart                   | Deckenaufbau       |
| Nennspannung                 | 220-240V           |
| Leistungsaufnahme            | 50W                |
| Leuchteneffizienz            | 96lm/W             |
| Anschlussleitung (Ader-Zahl) | 3                  |
| Schutzklasse                 | I                  |
| Artikelnummer                | XS33-1             |

---

## Licht

|                                |                           |
|--------------------------------|---------------------------|
| Leuchtmittel                   | LED                       |
| Leuchtenlichtstrom             | 4800lm                    |
| Direkter Farbwiedergabeindex   | CRI >90                   |
| Indirekter Farbwiedergabeindex | CRI >90                   |
| Lichtaustritt                  | 50% direkt / 50% indirekt |
| Abstrahlwinkel                 | 70°                       |
| Lichtverteilung                | Symmetrisch               |
| Color Tune                     | Ja                        |
| Farbtemperatur                 | 2200–3500K                |
| Lichtfarbe                     | Warmweiß – Neutralweiß    |
| Dimmbar                        | Ja                        |
| Dimmer integriert              | Ja                        |
| Art der Dimmung                | GRAU App                  |
| Warm Dim                       | Ja                        |
| Kompatibilität mit Casambi     | Ja                        |
| GRAU App integriert            | Ja                        |
| Umbau auf DALI möglich         | Ja                        |

# GRAU

## Flying

Flying is the floating light disk. Maximum flexibility, height-adjustable and extremely bright with 5000 lumens: Flying illuminates the room evenly upwards and downwards with versatile adjustable light.

Whether above the dining table, in the meeting room or as a sculptural light disc on the ceiling, Flying pleasantly illuminates the room. Change the light color and brightness via the GRAU app.

Flying offers a range of clever functions:

- Ultra Slim Light Panel
- Indirect light
- GRAU app
- Height adjustment
- Color Tune

Designed and manufactured at the GRAU Campus in Germany.

---

## Colors

| Colors                                                                                        | SKU    |
|-----------------------------------------------------------------------------------------------|--------|
|  Black       | XS33-1 |
|  Sand White | XS33-5 |
|  Rose      | XS33-3 |
|  White     | XS33-0 |

---

## Dimensions



## Body

|                                    |                           |
|------------------------------------|---------------------------|
| Pendant length                     | 0,35–1,65m                |
| Packaging dimensions (L x W x H)   | 60cm x 64cm x 13cm        |
| Material                           | Aluminum                  |
| Surface                            | Powder-coated             |
| Weight                             | 7kg                       |
| Weight incl. packaging             | 9kg                       |
| Height adjustable                  | Yes                       |
| Mounting type                      | Ceiling-mounted (surface) |
| Rated voltage                      | 220-240V                  |
| Power consumption                  | 50W                       |
| Luminaire efficiency               | 96lm/W                    |
| Connection cable (number of cores) | 3                         |
| Protection class                   | I                         |
| SKU                                | XS33-1                    |

---

## Light

|                                |                            |
|--------------------------------|----------------------------|
| Light source                   | LED                        |
| Luminous flux                  | 4800lm                     |
| Direct color rendering index   | CRI >90                    |
| Indirect color rendering index | CRI >90                    |
| Light emission                 | 50% direct / 50% indirect  |
| Beam angle                     | 70°                        |
| Light distribution             | Symmetric                  |
| Color Tune                     | Yes                        |
| Color temperature              | 2200–3500K                 |
| Light color                    | Warm White - Neutral White |
| Dimmable                       | Yes                        |
| Dimmer integrated              | Yes                        |
| Type of dimming                | GRAU App                   |
| Warm Dim                       | Yes                        |
| Compatibility with Casambi     | Yes                        |
| GRAU App integrated            | Yes                        |
| Conversion to DALI possible    | Yes                        |