

John

John vereint Ergonomie und Ästhetik für optimales Arbeiten. Aus hochwertigem Aluminium gefertigt, bietet diese Design-Schreibtischleuchte dank hochwertiger Federgelenke maximale Flexibilität. Mit Color Tune kannst du die Lichtfarbe individuell anpassen.

Das lichtstarke, optisch entblendete Licht von John steigert Fokus und Wohlbefinden beim Lesen und Arbeiten.

John ist mit zahlreichen Designpreisen ausgezeichnet und wird am GRAU Campus in Deutschland gefertigt.

Farben

Farben	Artikelnummer
● Black	TC55-2
● Light Blue	TC55-8
● Sand	TC55-12
● Graphite	TC55-10
● White	TC55-0

Dimensionen



Body

Maße Verpackung (L x B x H)	112cm x 26cm x 20cm
Material	Aluminium
Oberfläche	Pulverbeschichtet
Gewicht	5kg
Gewicht inkl. Verpackung	8,5kg
Leuchtenkopf beweglich	Ja
Montageart	Freistehend
Nennspannung	120–240V
Leistungsaufnahme	11W
Leuchteneffizienz	64lm/W – 91lm/W
Länge Anschlussleitung	2m
Steckernetzteil	Ja – mit USB–C Anschluss
Schutzklasse	II
Artikelnummer	TC55-8

Licht

Leuchtmittel	LED
Leuchtenlichtstrom	1000lm 600lm
Farbwiedergabeindex	CRI > 94 CRI > 87
Lichtaustritt	Direkt
Abstrahlwinkel	91°
Lichtverteilung	Symmetrisch
Farbtemperatur	3500K 2300K
Lichtfarbe	Warmweiß – Neutralweiß
Dimmbar	Ja
Art der Dimmung	Integrierter Taster
Warm Dim	Ja

GRAU

John

John is the most ergonomic desk lamp made of high-quality aluminum. Flexible thanks to the finest spring joints, 1000 lumens bright and optically glare-free. Adjust the light color with Color Tune.

John increases focus and well-being when reading and working.

John has been awarded design awards. Designed and manufactured at the GRAU Campus in Germany.

Colors

Colors	SKU
Black	TC55-2
Light Blue	TC55-8
Sand	TC55-12
Graphite	TC55-10
White	TC55-0

Dimensions



Body	Packaging dimensions (L x W x H)	112cm x 26cm x 20cm
	Material	Aluminum
	Surface	Powder-coated
	Weight	5kg
	Weight incl. packaging	8,5kg
	Movable lamp head	Yes
	Mounting type	Floor
	Rated voltage	120–240V
	Power consumption	11W
	Luminaire efficiency	64lm/W – 91lm/W
	Length of connection cable	2m
	Plug-in power supply unit	Yes - with USB-C connection
	Protection class	II
	SKU	TC55-8

Light	Light source	LED
	Luminous flux	700lm / 850lm / 950lm / 1000lm 850lm
	Color rendering index	CRI >90
	Light emission	Direct
	Beam angle	91°
	Light distribution	Symmetric
	Color temperature	2400K / 2700K / 3000K / 3500K 2700–2200K
	Light color	Warm White – Neutralweiß
	Dimmable	Yes
	Type of dimming	Integrated pushbutton
	Warm Dim	Yes